

RESULT LIST

66 results found in the Worldwide database for:
remote and calibrate in the title or abstract
(Results are sorted by date of upload in database)

Search Notes

- 1 **Methods, systems, and media to enhance image processing in a color reprographic system**
Inventor: CZYSZCZEWSKI JOSEPH STANLEY (US); LI HONG (US); (+1)
EC: IPC: H04N1/58 ; H04N1/48
Publication info: **US2004190019** - 2004-09-30
- 2 **Method, system, and apparatus for remote data calibration of a RFID tag population**
Inventor: ARNESON MICHAEL R (US); BANDY WILLIAM R (US); (+2)
EC: G06K7/00E; G06K19/07T IPC: H03M5/08 ; G08B13/14 ; (+1)
Publication info: **US6784813** - 2004-08-31
- 3 **Economical method & apparatus for objectively fixing error thresholds and checking color accuracy**
Inventor: BELLO SANTIAGO (ES); VILANOVA FERRAN (ES)
EC: IPC: B41J29/393
Publication info: **US2004165024** - 2004-08-26
- 4 **Microwave tuners for wideband high reflection applications**
Inventor: TSIRONIS CHRISTOS (CA)
EC: IPC: G01R27/04 ; G01R27/32
Publication info: **US2004119481** - 2004-06-24
- 5 **Electronic whiteboard hot zones for controlling local and remote personal computer functions**
Inventor: SCHUMAN JOHN G (US); O'NEILL JR KEVIN J (US)
EC: IPC: G09G5/00 ; G06F15/16
Publication info: **US6724373** - 2004-04-20
- 6 **A METHOD OF USING A SELF-LOCKING TRAVEL PATTERN TO ACHIEVE CALILBRATION OF REMOTE SENSORS USING CONVENTIONALLY COLLECTED DATA**
Inventor: MAI TUY VU
EC: IPC: G01C
Publication info: **WO2004027348** - 2004-04-01
- 7 **Method of using a self-locking travel pattern to achieve calibration of remote sensors using conventionally collected data**
Inventor: MAI TUY VU (US)
EC: IPC: G06F19/00 ; G01D18/00
Publication info: **US2004054488** - 2004-03-18
- 8 **Automatic mass-flow sensor calibration for a yield monitor**
Inventor: BECK ANDY D (US); PICKETT TERENCE D (US)
EC: A01D41/127A IPC: G01F25/00
Publication info: **US2004050138** - 2004-03-18
- 9 **FUEL CELL VOLTAGE MONITORING SYSTEM AND METHOD THEREOF**
Inventor: GOPAL RAVI B (CA); MASSE STEPHANE (CA)
EC: IPC: G01R31/36 ; H01M8/04
Publication info: **CA2448866** - 2002-12-05
- 10 **HAND-HELD REMOTE CONTROL AND DISPLAY SYSTEM FOR FILM AND VIDEO CAMERAS AND LENSES**
Inventor: MAYER ALBERT L JR (US); YONG BOON (US); (+2)
EC: IPC: G03B17/00 ; H04N5/232
Publication info: **CA2448678** - 2002-12-05

RESULT LIST

66 results found in the Worldwide database for:
remote and calibrate in the title or abstract
(Results are sorted by date of upload in database)

- 11 Measurement device with remote adjustment of electron beam stigmation by using MOSFET ohmic properties and isolation devices**
Inventor: AIZENBERG GUSTAVO E (IL); LEN AMIR (IL) Applicant: APPLIED MATERIALS INC (US)
EC: H01J37/26 IPC: H01J37/26
Publication info: **TW541568** - 2003-07-11
- 12 DIGITAL IMAGING SYSTEM HAVING DISTRIBUTION CONTROLLED OVER ADISTRIBUTED NETWORK**
Inventor: AGABRA DAVID S (US); KNIGHTON MARK S Applicant: NEXTENGINE INC (US)
(US); (+1)
EC: G05B19/042 ; G05B19/418
Publication info: **CA2422271** - 2002-03-21
- 13 SYSTEM FOR PROVIDING A CALIBRATED CLOCK AND METHODS THEREOF**
Inventor: REITER THOMAS JEFFREY; PIGOTT JOHN Applicant: MOTOROLA INC (US)
EC: H04J3/06C1 IPC: G06F1/14
Publication info: **WO03052566** - 2003-06-26
- 14 System for providing a calibrated clock and methods thereof**
Inventor: REITER THOMAS JEFFREY (US); PIGOTT JOHN Applicant: (US)
EC: H04J3/06C1 IPC: H04L7/00
Publication info: **US2003112906** - 2003-06-19
- 15 System and method for remotely calibrating a system for administering interactive hearing tests**
Inventor: PURIA SUNIL (US); EDWARDS BRENT W Applicant: SOUND ID (US)
(US); (+4)
EC: A61B5/00B; A61B5/12B IPC: A61B5/00
Publication info: **US2003078515** - 2003-04-24
- 16 METHOD AND SYSTEM FOR GEOPHYSICAL EXPLORATION**
Inventor: SONDERGELD CARL H (US); RAI CHANDRA S Applicant: AMOCO CORP (US)
(US)
EC: E21B47/00
Publication info: **CA1315191** - 1993-03-30
- 17 Hand-held remote control and display system for film and video cameras and lenses**
Inventor: YONG BOON (US); ZHOU ZHEN (US); (+2) Applicant: PANAVISION INC (US)
EC: G03B17/00; H04N5/232 IPC: H04N5/235
Publication info: **US2003025802** - 2003-02-06
- 18 Fuel cell voltage monitoring system and the method thereof**
Inventor: GOPAL RAVI B (CA); MASSE STEPHANE (CA) Applicant:
EC: G01R31/36V2 IPC: G01N27/416
Publication info: **US2002180447** - 2002-12-05
- 19 HAND-HELD REMOTE CONTROL AND DISPLAY SYSTEM FOR FILM AND VIDEO CAMERAS AND LENSES**
Inventor: MAYER ALBERT L JR; YONG BOON; (+2) Applicant: PANAVISION INC (US)
EC: G03B17/00; H04N5/232 IPC: G03B17/00 ; H04N5/232
Publication info: **WO02097528** - 2002-12-05
- 20 FUEL CELL VOLTAGE MONITORING SYSTEM AND THE METHOD THEREOF**
Inventor: GOPAL RAVI B (CA); MASSE STEPHANE (CA) Applicant: GOPAL RAVI B (CA); MASSE STEPHANE
(CA); (+1)
EC: G01R31/36V2 IPC: G01R31/36 ; H01M8/04
Publication info: **WO02097460** - 2002-12-05

RESULT LIST

66 results found in the Worldwide database for:
remote and calibrate in the title or abstract
(Results are sorted by date of upload in database)

- 21 Data rate calibration for asynchronous serial communications**
Inventor: SULLIVAN TERENCE SEAN (US) Applicant:
EC: H04L25/40; H04L25/02J IPC: H04L23/00 ; H04L25/38
Publication info: **US2002172315** - 2002-11-21
- 22 Method, system, and apparatus for remote data calibration of a RFID tag population**
Inventor: ARNESON MICHAEL R (US); BANDY WILLIAM R (US); (+2) Applicant: MATRICS INC (US)
EC: G06K7/00E; G06K19/07T IPC: G08B13/14
Publication info: **US2002149480** - 2002-10-17
- 23 MEASUREMENT DEVICE WITH REMOTE ADJUSTMENT OF ELECTRON BEAM STIGMATION BY USING MOSFET OHMIC PROPERTIES AND ISOLATION DEVICES**
Inventor: AIZENBERG GUSTAVO E; LEN AMIR Applicant: APPLIED MATERIALS INC (US)
EC: IPC: H01J37/153 ; H01J37/28 ; (+1)
Publication info: **WO0245124** - 2002-06-06
- 24 GPS receiver utilizing a communication link**
Inventor: KRASNER NORMAN F (US) Applicant: QUALCOMM INC (US)
EC: IPC: H04B7/185
Publication info: **US6400314** - 2002-06-04
- 25 Measurement device with remote adjustment of electron beam stigmation by using MOSFET ohmic properties and isolation devices**
Inventor: AIZENBERG GUSTAVO E (IL); LEN AMIR (IL) Applicant: APPLIED MATERIALS INC (US)
EC: IPC: G01R31/305
Publication info: **US2002063567** - 2002-05-30
- 26 Remote analysis and calibration of near infra-red spectrophotometer data**
Inventor: DAVEY PETER JAMES; BURLING-CLARIDGE GEORDIE ROBER; (+1) Applicant: AGRES LTD
EC: IPC: G01J3/457 ; G01N21/35 ; (+1)
Publication info: **NZ504536** - 2001-11-30
- 27 Optical measurement probe calibration configurations**
Inventor: SLATER JOSEPH B (US); TEDESCO JAMES M (US) Applicant: KAISER OPTICAL SYSTEMS INC (US)
EC: G01N21/27E IPC: G01N3/44 ; G01N21/64 ; (+1)
Publication info: **US6351306** - 2002-02-26
- 28 Telemetry method and apparatus**
Inventor: Applicant:
EC: H04M11/00A IPC:
Publication info: **GB339234** - 1930-12-04
- 29 Improvements relating to radio apparatus for measuring distance and direction**
Inventor: Applicant: SPERRY GYROSCOPE CO INC
EC: G01S13/84 IPC:
Publication info: **GB578953** - 1946-07-18
- 30 Improvements relating to milking machines**
Inventor: Applicant: A V HEMMENS PTY LTD
EC: A01J5/04; A01D41/127; (+3) IPC:
Publication info: **GB677417** - 1952-08-13

RESULT LIST

66 results found in the Worldwide database for:
remote and calibrate in the title or abstract
(Results are sorted by date of upload in database)

- 31 Calibration method for a phased array**
Inventor: SUNDBERG MAGNUS (SE) Applicant: RADIO DESIGN INNOVATION TJ AB (SE)
EC: H01Q3/26F IPC: H01Q3/26
Publication info: **GB2346013** - 2000-07-26
- 32 Calibration sample for particle analyzers and method for making the same**
Inventor: REENTS WILLIAM DAVID (US) Applicant: LUCENT TECHNOLOGIES INC (US)
EC: G01N15/02 IPC: G01N17/00
Publication info: **US6073476** - 2000-06-13
- 33 GPS receiver utilizing a communication link**
Inventor: KRASNER NORMAN F (US) Applicant: SNAPTRACK INC (US)
EC: G01S1/00S1A; G01S1/00S1A1; (+9) IPC: H04B7/185 ; G01S5/02
Publication info: **US6064336** - 2000-05-16
- 34 Miniature infrared camera**
Inventor: BODKIN WILLIAM ANDREW (US) Applicant: MICROCAM CORP (US)
EC: IPC: G01J5/02 ; G01J5/06
Publication info: **US6023061** - 2000-02-08
- 35 Metered windshield washer fluid dispensing system**
Inventor: KENNEY DAVID J (US); KENNEY REBECCA B (US) Applicant:
EC: B67D5/64; B60S5/00; (+5) IPC: B67B7/00
Publication info: **US5957329** - 1999-09-28
- 36 GPS receiver utilizing a communication link**
Inventor: KRASNER NORMAN F (US) Applicant: SNAPTRACK INC (US)
EC: G01S1/00S1A; G01S1/00S1A1; (+10) IPC: H04B7/185 ; G01S5/02
Publication info: **US5841396** - 1998-11-24
- 37 Calibration system and method for lidar systems**
Inventor: FEICHTNER JOHN D (US) Applicant: LOCKHEED CORP (US)
EC: G01S7/481B2; G01S7/481B3; (+1) IPC: G01C3/08 ; G01C25/00
Publication info: **US5825464** - 1998-10-20
- 38 Electronic die for games of chance**
Inventor: HERMANN ANDRE Applicant: HERMANN ANDRE (FR)
EC: A63F9/04E IPC: A63F9/04
Publication info: **FR2759919** - 1998-08-28
- 39 AN IMPROVED GPS RECEIVER UTILIZING A COMMUNICATION LINK**
Inventor: KRASNER NORMAN F (US) Applicant: SNAPTRACK INC (US); KRASNER NORMAN F (US)
EC: G01S1/00S1A; G01S1/00S1A1; (+10) IPC: H04B7/185 ; G01S5/02
Publication info: **WO9733382** - 1997-09-12
- 40 Automated gauge, assessment system and method**
Inventor: MARKOW PAUL A (US); CUMMINGS THEODORE M (US); (+3) Applicant: CHRYSLER CORP (US)
EC: G01P1/11; G01P21/02 IPC: G01D5/30 ; G01D9/42 ; (+2)
Publication info: **US5542280** - 1996-08-06

RESULT LIST

66 results found in the Worldwide database for:
remote and calibrate in the title or abstract
(Results are sorted by date of upload in database)

- 41 **Sonar and calibration utilizing non-linear acoustic reradiation**
Inventor: KONRAD WILLIAM L (US) Applicant: US ARMY (US)
EC: H04B11/00; H04B13/02 IPC: H04B13/00
Publication info: **US5473578** - 1995-12-05
- 42 **Compact self-contained electrical-to-optical converter/transmitter**
Inventor: CONDER ALAN D (US); MOSS WILLIAM C (US); (+2) Applicant: US ARMY (US)
EC: G08C23/06; H04B10/155 IPC: H04J3/12
Publication info: **US5469442** - 1995-11-21
- 43 **Radar return signal simulator**
Inventor: VENCEL LESLIE J (AU); SCHUTZ JONATHAN J (AU); (+5) Applicant: COMMW OF AUSTRALIA (AU)
EC: G01S7/40R; G09B9/40; (+1) IPC: G01S7/40
Publication info: **US5457463** - 1995-10-10
- 44 **Device for firing a diabolo form bullet from a firearm**
Inventor: MATYSIK PETER (DE); HEITZ WALTER (DE) Applicant: BRENNKE WILHELM KG (DE); DIANAWERK GMBH & CO KG (DE)
EC: F42B3/04; F42B8/04 IPC: F42B5/00 ; C06D5/00
Publication info: **US5309842** - 1994-05-10
- 45 **Non-bridge type electronic actuator control**
Inventor: JORNOD EUGENE R (US); FIELD LARY L (US); (+1) Applicant: BARBER COLMAN CO (US)
EC: G05D3/14H IPC: G05B11/36
Publication info: **US5153493** - 1992-10-06
- 46 **Monitoring and control of data communications**
Inventor: DICKINSON ROBERT V C (US); ROCCI JOSEPH (US); (+1) Applicant: AM COMMUNICATIONS INC (US)
EC: H04B3/10 IPC: H04B3/10
Publication info: **US4910791** - 1990-03-20
- 47 **Apparatus for measuring the mass of a flowing medium and method for producing an apparatus for measuring the mass of a flowing medium**
Inventor: SUMAL JAIHIND S (DE) Applicant: BOSCH GMBH ROBERT (DE)
EC: G01F1/692; G01F25/00A IPC: G01F1/68 ; G01K13/00
Publication info: **US4826328** - 1989-05-02
- 48 **Voltage calibration in E-beam probe using optical flooding**
Inventor: BARGETT CHARLEY B (US); DAVIS JOSEPH L (US); (+2) Applicant: SANTA BARBARA RES CENTER (US)
EC: G01R31/305 IPC: G01R31/28
Publication info: **US4695794** - 1987-09-22
- 49 **Capacitance-type material level indicator**
Inventor: EICHBERGER ROBERT T (US) Applicant: BERWIND CORP (US)
EC: G01F23/26B4 IPC: G01G23/26 ; G01R35/00
Publication info: **US4676100** - 1987-06-30
- 50 **Valve manifold for a differential pressure transmitter**
Inventor: ANDERSON JR WILLIAM L (US); MOYERS MICHAEL E (US) Applicant: ANDERSON GREENWOOD & CO (US)
EC: G01F15/18B; G01L19/00B2 IPC: F16K11/087
Publication info: **US4602657** - 1986-07-29

RESULT LIST

66 results found in the Worldwide database for:
remote and calibrate in the title or abstract
(Results are sorted by date of upload in database)

- 51 Electrical measuring while drilling with composite electrodes**
Inventor: PEPPERS JAMES M (US) Applicant: PEPPERS JAMES M
EC: E21B17/02; E21B47/18; (+1) IPC: G01V1/40 ; G01V3/02
Publication info: **US4584675** - 1986-04-22
- 52 Laser-sighted briefcase firing device**
Inventor: GALE EDWARD A (US); WETZEL III JOHN J (US); (+1) Applicant: GALE EDWARD A; WETZEL III JOHN J; (+1)
EC: F41C9/00; F41C33/06; (+1) IPC: F41G1/34
Publication info: **US4414610** - 1983-11-08
- 53 Method and apparatus for remote measuring**
Inventor: VENUSO NICHOLAS A (US) Applicant: METROPOLITAN SANITARY DISTRICT (US)
EC: G01B5/00B; G01B5/24; (+2) IPC: G01B5/20
Publication info: **US4413419** - 1983-11-08
- 54 Control system for combustion apparatus**
Inventor: VAN BERKUM ROBERT A Applicant: BERKUM ROBERT A VAN
EC: F23N1/02; F23N1/04; (+1) IPC: F23N5/00
Publication info: **US4264297** - 1981-04-28
- 55 Control system for combustion apparatus and method**
Inventor: VAN BERKUM ROBERT A (US) Applicant: BERKUM ROBERT A VAN
EC: F23N5/00B2 IPC: F23H1/02
Publication info: **US4157238** - 1979-06-05
- 56 D.C. Electrometer**
Inventor: BUCHHEIT ROBERT F Applicant: XEROX CORP
EC: G01R29/24 IPC: G01R5/28
Publication info: **US4100484** - 1978-07-11
- 57 D.C. Electrometer probe**
Inventor: BUCHHEIT ROBERT F Applicant: XEROX CORP
EC: G01R29/12 IPC: G01R5/28
Publication info: **US4063155** - 1977-12-13
- 58 Gas analyzer**
Inventor: RIEDL MAX J; ROSS THADDEUS C Applicant: INFRARED IND INC
EC: G01N21/35B IPC: G01N21/26
Publication info: **US3932754** - 1976-01-13
- 59 SPECTRUM ANALYSIS**
Inventor: Applicant: AUSTRIALIAN SELECTION PTY LTD
EC: G01N21/71; G01N21/72 IPC: G01N21/22 ; G01N21/58
Publication info: **GB1419176** - 1975-12-24
- 60 RADAR RETURN SIGNAL SIMULATOR**
Inventor: VENCEL LESLIE JOHN (AU); SCHUTZ JONATHAN JAMES (AU); (+5) Applicant: COMMW OF AUSTRALIA (AU)
EC: G01S7/40R; G09B9/40; (+1) IPC: G01S7/40 ; G09B9/54
Publication info: **WO9222050** - 1992-12-10

RESULT LIST

66 results found in the Worldwide database for:
remote and calibrate in the title or abstract
(Results are sorted by date of upload in database)

61 VASCULAR PROBE

Inventor: ROBICSEK FRANCIS (US)

Applicant: BIO VASCULAR INC (US)

EC: A61B17/12P; A61B19/00G

IPC: A61B17/00

Publication info: **WO9219161** - 1992-11-12

62 System and method for controlling printing in a multi-terminal single-printer environment.

Inventor: WIMMER GUENTHER W

Applicant: TEKTRONIX INC (US)

EC: G06K15/00; H04N1/64E

IPC: G06F3/12 ; H04N1/46

Publication info: **EP0353909** - 1990-02-07

63 RADAR RETURN SIGNAL SIMULATOR

Inventor: HOFFENSETZ MARTIN J (AU); SCHUTZ JONATHAN J (AU); (+5)

Applicant: COMMW OF AUSTRALIA (AU)

EC:

IPC: G09B9/54 ; G01S7/40

Publication info: **CA2110692** - 1992-12-10

64 VALVE MANIFOLD FOR A DIFFERENTIAL PRESSURE TRANSMITTER

Inventor: ANDERSON WILLIAM L JR; MOYERS MICHAEL E Applicant: ANDERSON GREENWOOD & CO

EC:

IPC: F16K11/087

Publication info: **CA1260799** - 1989-09-26

65 CAPACITANCE-TYPE MATERIAL LEVEL INDICATOR

Inventor: EICHBERGER ROBERT T

Applicant: BERWIND CORP

EC:

IPC: G01F25/00

Publication info: **CA1251947** - 1989-04-04

66 D. C. ELECTROMETER

Inventor: BUCHHEIT ROBERT F

Applicant: XEROX CORP

EC:

IPC:

Publication info: **CA1080804** - 1980-07-01

Data supplied from the **esp@cenet** database - Worldwide

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Defin	Errors
1	IS&P	1	("6574581").PN.	USPAT; US-PGPUB	2004/10/28 14:16			0
2	IS&R	1	("6034764").PN.	USPAT; US-PGPUB	2004/10/29 09:01			0
3	BRS	1	"5530514".PN.	USPAT	2004/10/28 14:20			0
4	BRS	1	"5392111".PN.	USPAT	2004/10/28 14:23			0
5	BRS	1	"5392110".PN.	USPAT	2004/10/28 14:23			0
6	BRS	1	"5388048".PN.	USPAT	2004/10/28 14:24			0
7	BRS	1	"5341186".PN.	USPAT	2004/10/28 14:24			0
8	BRS	1	"5329358".PN.	USPAT	2004/10/28 14:35			0
9	BRS	1	"4790402".PN.	USPAT	2004/10/28 14:36			0
10	BRS	1	"4379367".PN.	USPAT	2004/10/28 14:36			0
11	BRS	1	"5029251".PN.	USPAT	2004/10/28 14:36			0
12	BRS	1	"5055666".PN.	USPAT	2004/10/28 14:37			0
13	BRS	1	"5373344".PN.	USPAT	2004/10/28 14:37			0
14	BRS	4118	optical and distance and alignment and target and imaging and focus	USPAT; US-PGPUB	2004/10/29 09:02			0
15	BRS	61	(optical and distance and alignment and target and imaging and focus) and feature and location and cross near1 hair and screen and camera	USPAT; US-PGPUB	2004/10/29 09:03			0
16	BRS	57	((optical and distance and alignment and target and imaging and focus) and feature and location and cross near1 hair and screen and camera) and comp	USPAT; US-PGPUB	2004/10/29 15:59			0
17	IS&R	1	("5175616").PN.	USPAT; US-PGPUB	2004/10/29 15:59			0
18	BRS	1	((("5175616").PN.) and focus	USPAT; US-PGPUB	2004/10/29 16:02			0
19	BRS	1	((("5175616").PN.) and orthogonal	USPAT; US-PGPUB	2004/10/29 16:07			0
20	BRS	1	((("5175616").PN.) and screen	USPAT; US-PGPUB	2004/10/29 16:12			0
21	BRS	1	((("5175616").PN.) and project\$3	USPAT; US-PGPUB	2004/10/29 16:14			0

Fast search Notes

22	BRS	0	((("5175616").PN.) and transparent	USPAT; US-PGPUB	2004/10/29 16:15	0	
23	BRS	1	((("5175616").PN.) and lens	USPAT; US-PGPUB	2004/10/29 16:15	0	
24	IS&R	1	("6773306").PN.	USPAT; US-PGPUB	2004/10/29 19:20	0	
25	BRS	426	frequency and calibrat\$3 and remote near1 controller	USPAT; US-PGPUB	2004/10/29 19:21	0	
26	BRS	3	(frequency and calibrat\$3 and remote near1 controller) and oscillator and storage and modifier and processor	USPAT; US-PGPUB	2004/10/29 19:22	0	
27	BRS	3	(frequency and calibrat\$3 and remote near1 controller) and oscillator and modifier and processor	USPAT; US-PGPUB	2004/10/29 19:22	0	
28	BRS	119	(frequency and calibrat\$3 and remote near1 controller) and oscillator and processor	USPAT; US-PGPUB	2004/10/29 19:22	0	
29	BRS	81	((frequency and calibrat\$3 and remote near1 controller) and oscillator and processor) and storage	USPAT; US-PGPUB	2004/10/29 19:23	0	
30	BRS	21	((((frequency and calibrat\$3 and remote near1 controller) and oscillator and processor) and storage) and count and match and update	USPAT; US-PGPUB	2004/10/29 19:34	0	
31	BRS	3758	"remote control" and calibrat\$3	USPAT; US-PGPUB	2004/10/29 19:34	0	
32	BRS	28	("remote control" and calibrat\$3) and frequency and oscillator and storage and modifier	USPAT; US-PGPUB	2004/10/29 19:42	0	
33	BRS	722	wave near1 frequency and remote and calibrat\$3	USPAT; US-PGPUB	2004/10/29 19:43	0	
34	BRS	3	(wave near1 frequency and remote and calibrat\$3) and oscillator and count and modifier	USPAT; US-PGPUB	2004/10/29 19:54	0	
35	IS&R	4	((("6784813") or ("2004054488") or ("5308022") or ("5371358") or ("5117756") or ("2003112906") or ("2003122080")).PN.	USPAT; US-PGPUB	2004/10/29 19:55	0	
36	IS&R	7	((("6784813") or ("20040054488") or ("5308022") or ("5371358") or ("5117756") or ("20030112906") or ("20030122080")).PN.	USPAT; US-PGPUB	2004/10/29 20:03	0	Server failed 1 to process.
37	BRS	2683	calibrat\$3 and wave near1 frequency	USPAT; US-PGPUB	2004/10/29 20:03	0	
38	BRS	0	(calibrat\$3 and wave near1 frequency) and "remote controll"	USPAT; US-PGPUB	2004/10/29 20:04	0	
39	BRS	90	(calibrat\$3 and wave near1 frequency) and "remote control"	USPAT; US-PGPUB	2004/10/29 20:04	0	
40	BRS	37	((calibrat\$3 and wave near1 frequency) and "remote control") and oscillator	USPAT; US-PGPUB	2004/10/31 08:32	0	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Er
1	BRS	L3	0	carrier near1 frequency and calibrat\$3 and "remote controller"	USPA 2004/10/31 T; 08:33 US-P GPUB				0
2	BRS	L4	0	carrier near1 frequency and calibrat\$3 and "remote control"	USPA 2004/10/31 T; 08:34 US-P GPUB				0
3	BRS	L5	29	carrier near1 frequency and calibrat\$3 and "remote controller"	USPA 2004/10/31 T; 08:41 US-P GPUB				0
4	BRS	L6	490	ir and remote near1 control and calibrat\$3	USPA 2004/10/31 T; 08:42 US-P GPUB				0
5	BRS	L8	3	7 and count and match and rc	USPA 2004/10/31 T; 08:42 US-P GPUB				0
6	BRS	L7	53	6 and carrier near1 frequency	USPA 2004/10/31 T; 11:09 US-P GPUB				0

	U	1	P	P	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval C	Inventor	S	C	3
1					US 20040143409 A1	20040722	9	Method and device of carrier wave frequency calibration for remote controller	702/106			Tsai, Rong-Dzung et al.			
2					US 20040061620 A1	20040401		Internal micro alarm	340/689	340/541		Devine, James Brian Paul			
3					US 20030099264 A1	20030529		Laser system using ultrashort laser pulses	372/25	372/9		Dantus, Marcos et al.			
4					US 20030095263 A1	20030522		Fiber optic interferometric vital sign monitor for use in magnetic resonance imaging, confined care facilities and in-hospital	356/477			Varshneya, Deepak et al.			
5					US 20030093187 A1	20030515	188	PFN/TRAC systemTM FAA upgrades for accountable remote and robotics control to stop the unauthorized use of aircraft and to improve equipment management and public safety in transportation	701/1	701/36		Walker, Richard C.			
6					US 20020118951 A1	20020829		Recording and reproducing apparatus, and variable speed reproducing method using same	386/68	386/125; 386/65		Suzuki, Satoshi et al.			
7					US 20020042699 A1	20020411		Coordinate input apparatus and control method and program therefor	703/2			Tanaka, Atsushi et al.			
8					US 20020013698 A1	20020131		Use of voice-to-remaining audio (VRA) in consumer applications	704/225	704/500		Vaudrey, Michael A. et al.			
9					US 20010028342 A1	20011011		Coordinate input apparatus, coordinate input system, coordinate input method, and pointer	345/157			Notagashira, Hidefumi			
10					US 6714310 B1	20040330		Coordinate input apparatus and method, and computer-readable memory therefor	356/614			Tanaka, Atsushi et al.			
11					US 6710767 B1	20040323		Coordinate input apparatus	345/157	341/5; 345/156; 345/158; 345/166; 345/175; 345/179; 345/180;		Hasegawa, Masahide et al.			
12					US 6664954 B1	20031216		Coordinate input indicator	345/179	353/42; 362/259		Yoshimura, Yuichiro et al.			

[illegible]

[illegible]

	U	I	P	P	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval C	Inventor	S	C	3
1					US 20040201403 A1	20041014	7	Method and device for dynamically calibrating frequency	327/39			Chen, Chun-Hsiung et al.			
2					US 20040145496 A1	20040729	56	Intelligent vehicle apparatus and method for using the apparatus	340/905	701/117		Ellis, Christ G.			
3					US 20040143409 A1	20040722	9	Method and device of carrier wave frequency calibration for remote controller	702/106			Tsai, Rong-Dzung et al.			
4					US 20040083035 A1	20040429	53	Apparatus and method for automatic vision enhancement in a traffic complex	701/1	701/117		Ellis, Christ G.			
5					US 20040081930 A1	20040429	13	Proximity warning system for a fireplace	431/125	126/500; 431/13		Bachinski, Thomas J. et al.			
6					US 20030216663 A1	20031120	37	Tissue monitoring system for intravascular infusion	600/547			Jersey-Willuhn, Karen et al.			
7					US 20030216662 A1	20031120	35	Film barrier dressing for intravascular tissue monitoring system	600/547			Jersey-Willuhn, Karen et al.			
8					US 20030216630 A1	20031120	35	Conductivity reconstruction based on inverse finite element measurements in a tissue monitoring system	600/407	128/920; 600/473; 600/476; 600/547		Jersey-Willuhn, Karen et al.			
9					US 20030192531 A1	20031016	13	PROXIMITY WARNING SYSTEM FOR A FIREPLACE	126/500	431/13		Bachinski, Thomas J. et al.			
10					US 20030154017 A1	20030814	51	Apparatus and method for vehicle counting, tracking and tagging	701/117	701/210		Ellis, Christ G.			
11					US 20020195247 A1	20021226	64	Well-bore sensor apparatus and method	166/250.11	166/250.15; 166/297		Ciglenec, Reinhart et al.			
12					US 20020126022 A1	20020912	45	Emergency flashing light mechanism	340/901	340/902; 340/904; 340/907		Ellis, Christ G.			

13	US 20020008615 A1	20020124	16	Anti-theft protection system for a motor vehicle, and a method for operating an anti-theft protection system	340/426.1	340/5.61	Heide, Patric et al.
14	US 6766854 B2	20040727	62	Well-bore sensor apparatus and method	166/250.11	340/856.2; 340/856.3; 73/152.46	Ciglenec, Reinhart et al.
15	US 6672860 B2	20040106	12	Proximity warning system for a fireplace	431/13	431/153; 431/18	Bachinski, Thomas J. et al.
16	US 6556148 B2	20030429	43	Emergency flashing light mechanism	340/990	340/906; 340/907; 342/24	Ellis, Christ G.
17	US 6356210 B1	20020312	46	Portable safety mechanism with voice input and voice output	340/990	135/67; 135/68; 704/275	Ellis, Christ G.
18	US 6246831 B1	20010612	94	Fluid heating control system	392/486	219/483; 219/497; 392/466	Seitz, David E. et al.
19	US 6208586 B1	20010327	40	Method and apparatus for communicating data in a wellbore and for detecting the influx of gas	367/35	181/105; 367/57; 73/726	Rorden, Louis H. et al.
20	US 6154250 A	20001128	40	System for enhancing the television presentation of an object at a sporting event	348/157	348/169; 348/478; 348/589; 348/600	Honey, Stanley K. et al.
21	US 6129025 A	20001010	133	Traffic/transportation system	104/88.01	104/288; 104/292; 104/88.02	Minakami, Hiroyuki et al.
22	US 6091932 A	20000718	26	Bidirectional point to multipoint network using multicarrier modulation	725/111	725/125	Langlais, Brian
23	US 5973618 A	19991026	40	Intelligent walking stick	340/990	135/75; 135/911; 180/167; 340/384.3; 340/505; 340/825.19; 342/24	Ellis, Christ G.

24		US 5912700 A	19990615	43	System for enhancing the television presentation of an object at a sporting event	348/157	348/169; 348/578; 348/589; 348/61; 473/199; 473/200	Honey, Stanley K. et al.				
25		US 5850369 A	19981215	41	Method and apparatus for communicating data in a wellbore and for detecting the influx of gas	367/83	340/854.3; 340/854.4	Rorden, Louis H. et al.				
26		US 5729145 A	19980317	38	Method and apparatus for detecting arcing in AC power systems by monitoring high frequency noise	324/536	324/522; 324/613; 340/650	Blades, Frederick K.				
27		US 5592438 A	19970107	45	Method and apparatus for communicating data in a wellbore and for detecting the influx of gas	367/83	340/854.3; 340/854.4	Rorden, Louis H. et al.				
28		US 5007069 A	19910409	15	Decoding of signals using cophase and differentiating signal detection	375/324	329/315; 340/825.76	VanEss, David W.				
29		US 4665404 A	19870512	25	High frequency spread spectrum positioning system and method therefor	342/463	342/421; 375/142	Christy, Edmund H. et al.				
30		US 4267458 A	19810512	349	System and method for starting, synchronizing and operating a steam turbine with digital computer control	290/40R	415/1; 60/646; 60/657; 60/660; 700/290	Uram, Robert et al.				
31		US 4227516 A	19801014	9	Apparatus for electrophysiological stimulation	600/26	600/28	Meland, Bruce C. et al.				
32		US 4097723 A	19780627	27	Thermal systems incorporating apparatus and methods for simulating time related temperatures	219/494	219/469; 219/471	Leitner, Frank W. et al.				
33		US 4044607 A	19770830	6	Grain moisture measurement probe	73/73	324/689	Deal, Clarence D.				
34		US 3818480 A	19740618	10	METHOD AND APPARATUS FOR CONTROLLING THE DIRECTIVITY PATTERN OF AN ANTENNA	342/435	343/731; 343/749; 343/845; 343/861	West, Raymond H.				
35		US 3586830 A	19710622	27	LOGICAL CONTROL FOR DISCRETELY METERING ENERGY TO THERMAL SYSTEMS	219/501	219/497	Leitner, Frank W. et al.				

[illegible]

	U	I	P	P	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval C	Inventor	S	C	2	3
1					US 20040054488 A1	20040318	16	Method of using a self-locking travel pattern to achieve calibration of remote sensors using conventionally collected data	702/104			Mai, Tuy Vu				
2					US 20030122080 A1	20030703	9	Method of processing data from a spectrophotometer	250/339.07			Burling-Clardige, Geordie Robert et al.				
3					US 20030112906 A1	20030619	13	System for providing a calibrated clock and methods thereof	375/354			Pigott, John et al.				
4					US 6784813 B2	20040831	97	Method, system, and apparatus for remote data calibration of a RFID tag population	341/53	235/435; 340/572.1		Shanks, Wayne E. et al.				
5					US 5371358 A	19941206	22	Method and apparatus for radiometric calibration of airborne multiband imaging spectrometer	250/226	250/236; 250/252.1; 250/332; 250/334; 250/339.07; 250/339.09		Chang, Sheng-Huei et al.				
6					US 5308022 A	19940503	10	Method of generating a dynamic display of an aircraft from the viewpoint of a pseudo chase aircraft	244/3.14	244/190; 434/14; 434/43		Cronkhite, Minton B. et al.				
7					US 5117756 A	19920602	15	Method and apparatus for a calibrated electronic timing circuit	102/217	102/218		Goffin, II, Glen P.				